Main Street, Water Street, Beacon Street & Marion Road Roadway Reconstruction Project

Town of Mattapoisett, MA

Neighborhood Meeting

Water Street

Presented by










Agenda

- Project Status
 - Overview and Tonight's Goal
 - Schedule
 - Funding
- What have we learned
 - Where, When, and What
- The Concept
 - Design Criteria
 - Design Alternative
 - Design Exceptions
 - Model/Sketches

Main Street, Water Street, Beacon Street & Marion Road Roadway Reconstruction Project



Town of Mattapoisett, MA



Project Status

- Town plans to Reconstruct Main Street, Water Street, Beacon Street, and Marion Road through the Transportation Improvement Program (TIP)
- 3 quarters thru the listening tour
- Developing a Concept or Design Alternative

Tonight's Goal:

Present the Design Alternative, answer questions, solicit comments and ultimately receive consensus to move the project forward



Design Schedule & TIP Update

Original Schedule

- Public Presentation (November 1, 2017)
- 30 Day Comment Period
- Board of Selectmen Presentation (January 22, 2018)
- 10% Design (April 23, 2018)

Revised Schedule

- Public Presentations (January 11th, 18th, and 25th, 2018, and February 1, 2018)
- 30 Day Comment Period
- Board of Selectmen Presentation (March 6, 2018)
- 10% Design (April 23, 2018)
- MassDOT 10% Design Review (Expected by July 2018)
- 25% Design (Authorization in July 2018...Submission January 2019)
- Design Public Hearing (Expected May 2019)
- Final Design (Expected to begin July 2019...PS&E Submission Summer 2020)
- Advertise (Expected September 2020)
- Construction (Expected Spring 2021)
- Fiscal Year 2021 (October 1, 2020 thru September 30, 2021 -\$4,050,000)

TIP Funding

- Project # 607440 Mattapoisett- Corridor Improvements and Related Work on Main Street, Water Street, Beacon Street and Marion Road
- Fiscal Year 2021 \$4,050,000
 - October 1, 2020 thru September 30, 2021
 - Please note FY 2021 currently has \$500k available for a project
- Draft Construction Estimate \$5,180,000

What have we learned

Highlights from Public Input

- Introductory Meeting June 28, 2017
- Mattapoisett Lions Club Annual Harbor Days Festival July 16, 2017
- Main Street Meeting August 2, 2017
- Water Street Meeting August 10, 2017
- Tree Committee Walk-Thru August 23, 2017
- Beacon Street Meeting August 30, 2017
- Marion Road Meeting September 6, 2017
- Bike Committee Meeting September 14, 2017
- Design Consultant Walk-Thru September 22, 2017
- Design Consultant Walk-Thru September 27, 2017
- Safety Officer Meeting September 27, 2017
- Boat Haulers Meeting October 2, 2017
- MassDOT Meeting November 6, 2017



Water Street Highlights

Water Street

- Maintain the character (Keep the beauty and historic feel of the Street)
- Existing trees add to the character
- Accommodate all modes of transportation (pedestrians, bicycles, cars, etc.)
- Safety improve sidewalks, add crosswalks, introduce more stop signs, add lighting

- Speeding need to lower vehicular speed
- On-street parking need to maintain
- Wider is not always better (suggest one-way circulation)
- Improve water quality, drainage issues to be resolved
- Bury utilities, if possible

Stakeholder Highlights

Tree Committee

• Arborist confirms trees are healthy

Bike Committee

- Completion of Bike Path will increase bicycle use along project corridor
- Riding in the travel lane is comfortable along the project corridor
- Avoid sharp edge curbing if possible
- Options available to cross Route 6

Safety Officer

- Existing four way Stop at Marion Road and Beacon Street works well
- Recommends a four way Stop at Marion Road and Church Extension
- Speeding perception vs. reality
- Agrees with concept of a proposed continuous sidewalk along project corridor

Stakeholder Highlights

Boat Haulers

- On-street parking impacts access to the Town Wharf
 - Larger radii entering/exiting Town Wharf or widening entrance/exit
- Height of overhead wires present safety hazard 20-foot clearance would be ideal; 17-foot minimum
- Operations continue from early spring to late fall need second access to maintain operations; North Street would be an option, need entrance/exit to Town Wharf revised first, check wires, check traffic signal at Route 6 and North Street for clearance, and Triad will need permission from State to use Route 6
- Need traffic signal loops added along Main Street for boat haulers waiting in the que for the signal at Route 6

Concept/Design Alternative

MassDOT Design Criteria Water Street

National Highway S	ystem (Y or N):	Ν			
<u>Roadway Classification:</u> <u>Area Type (Rural, Suburban, Urban):</u> <u>Truck Exclusion Route (Y or N):</u>		Collector	Minor		
		Urban N	Suburban Tow	n Center	
	MassDOT	AASHTO	VHB Design	Notes	
Posted Speed:		an alter a star star		25 MPH	
Design Speed	25 to 35 mph		25		
Min Travel Lane Width:	10 to 12		10	Exhibit 5-14; page 5-31 Shared Lanes at least 14 feet wide	
Min Shoulder Width:	5		2	Exhibit 5-11; page 5-26 (Bicycle and pedestrian use) Exhibit 5-12; page 5-27 (4 to 10 feet Engineering Directive E-14-006 (Bicycles 5')	
Horizontal Alignment Min Curve Radius (ex 4-8 and 4-9) :	200 @ -2% 185 @ 0% 170 @ 2%		2500	For design speeds less than 35 mph designers should avoid using superelevation to the extent possible	
Compond curve relationship meet Section 4.2	>50%		N/A	Page 4-5	
Min Curve Length (30V or 15V):	375		86 & 93	Page 4-4 Engineering Directive E-14-006; In determining the standards for horizontal alignment, the minimum length of curve criteria need not be met on 3R projects	
Vertical Alignment Min K Value (Crest- Ex 4-26):	12		TBD		
Min K Value (Sag - Ex 4-27):	26		TBD		
Min Vertical Curve Length (3V):	75		TBD	Page 4-43	
Max Grade (Ex 4-21):	9%		TBD	Level Terrain	

MassDOT Design Criteria Water Street

Design Criteria Water Street Mattapoisett, MA

National Highway System (Y or N):	Ν		
Roadway Classification:	Collector	Minor	
<u>Area Type (Rural, Suburban, Urban):</u>	Urban	Suburban Town Center	
Truck Exclusion Route (Y or N):	Ν		

	MassDOT	AASHTO	VHB Design	Notes
SSD (Ex 3-8)	155			Page 3-38; 0% Grade - check Exhibit 3-8 for downgrade/upgrade
Horiz SSD Middle Ordinate (EX 4-5)	14.8 for 200 16 for 185 17.4 for 170		8	1.2 for 2500
Passing Sight Distance:	N/A		N/A	
Parking Lane Width:	7 (MIN)		7	
Sidewalks:	5 ft		5	Minimum clear width 5 ft; 3 feet clear width at obstruction; page 5-14 6 to 12 feet preferred landscape buffers (2 to 6 feet commonly)
Cross slope (Sect 5.5.2)	2%		2%	
Superelevation (section 4.2)	N/A		N/A	Page 4-16; Designing without superelevation is often a suitable design practice for low-speed roadways (less than 45mph). If site specific conditions allow, designers should avoid using a superelevation to the extent possible for design speeds of 35 mph or less and use a normal crown in the roadway cross- section.
Min Horizontal clearance to obstruction		1.5' or 4' (no curb)	0.5	Section.
Bridge width Structural Capacity Vertical clearance	N/A N/A N/A		N/A N/A N/A	

Design Alternative – Water Street



Design Exceptions – Water Street

- Pedestrian Accommodation -Sidewalk Presence
- Bicycle Accommodation
- Shoulder Width
- Lateral Offset
































Questions/Comments